

# 半角から全角への変換表

2015/08/01

<http://www.unicode.org/charts/> で公開されている PDF から生成。文字コードはUnicodeでエンコーディングはUTF-16

## 説明

この変換に意味があるかは分からない。

英数記号をFULLWIDTHがつく文字へ変換する。

ASCII 0x5C に対応する円記号は素直にバックスラッシュへ変換した。

半角のカタカナ、関連する記号、をFULLWIDTHの文字に正規化する。

FALFWIDTHのつく文字にない、ㇿやㇿへの変換は含まれない。

## 関連

- [全角から半角への変換表](#)
- [全角ひらがなカタカナ正規化表](#)

## 正規化表 1

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
0020		SPACE	3000	□	IDEOGRAPHIC SPACE
0021	!	EXCLAMATION MARK	FF01	□	FULLWIDTH EXCLAMATION MARK
0022	“	QUOTATION MARK	FF02	□	FULLWIDTH QUOTATION MARK
0023	#	NUMBER SIGN	FF03	□	FULLWIDTH NUMBER SIGN
0024	\$	DOLLAR SIGN	FF04	□	FULLWIDTH DOLLAR SIGN
0025	%	PERCENT SIGN	FF05	□	FULLWIDTH PERCENT SIGN
0026	&	AMPERSAND	FF06	□	FULLWIDTH AMPERSAND
0027	'	APOSTROPHE	FF07	□	FULLWIDTH APOSTROPHE
0028	(	LEFT PARENTHESIS	FF08	□	FULLWIDTH LEFT PARENTHESIS
0029	)	RIGHT PARENTHESIS	FF09	□	FULLWIDTH RIGHT PARENTHESIS
002A	*	ASTERISK	FF0A	□	FULLWIDTH ASTERISK
002B	+	PLUS SIGN	FF0B	□	FULLWIDTH PLUS SIGN
002C	,	COMMA	FF0C	□	FULLWIDTH COMMA
002D	-	HYPHEN-MINUS	FF0D	□	FULLWIDTH HYPHEN-MINUS
002E	.	FULL STOP	FF0E	□	FULLWIDTH FULL STOP
002F	/	SOLIDUS	FF0F	□	FULLWIDTH SOLIDUS
0030	0	DIGIT ZERO	FF10	□	FULLWIDTH DIGIT ZERO
0031	1	DIGIT ONE	FF11	□	FULLWIDTH DIGIT ONE

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
0032	2	DIGIT TWO	FF12	□	FULLWIDTH DIGIT TWO
0033	3	DIGIT THREE	FF13	□	FULLWIDTH DIGIT THREE
0034	4	DIGIT FOUR	FF14	□	FULLWIDTH DIGIT FOUR
0035	5	DIGIT FIVE	FF15	□	FULLWIDTH DIGIT FIVE
0036	6	DIGIT SIX	FF16	□	FULLWIDTH DIGIT SIX
0037	7	DIGIT SEVEN	FF17	□	FULLWIDTH DIGIT SEVEN
0038	8	DIGIT EIGHT	FF18	□	FULLWIDTH DIGIT EIGHT
0039	9	DIGIT NINE	FF19	□	FULLWIDTH DIGIT NINE
003A	:	COLON	FF1A	□	FULLWIDTH COLON
003B	;	SEMICOLON	FF1B	□	FULLWIDTH SEMICOLON
003C	<	LESS-THAN SIGN	FF1C	□	FULLWIDTH LESS-THAN SIGN
003D	=	EQUALS SIGN	30A0	□	KATAKANA-HIRAGANA DOUBLE HYPHEN
			FF1D	□	FULLWIDTH EQUALS SIGN
003E	>	GREATER-THAN SIGN	FF1E	□	FULLWIDTH GREATER-THAN SIGN
003F	?	QUESTION MARK	FF1F	□	FULLWIDTH QUESTION MARK
0040	@	COMMERCIAL AT	FF20	□	FULLWIDTH COMMERCIAL AT
0041	A	LATIN CAPITAL LETTER A	FF21	□	FULLWIDTH LATIN CAPITAL LETTER A
0042	B	LATIN CAPITAL LETTER B	FF22	□	FULLWIDTH LATIN CAPITAL LETTER B
0043	C	LATIN CAPITAL LETTER C	FF23	□	FULLWIDTH LATIN CAPITAL LETTER C
0044	D	LATIN CAPITAL LETTER D	FF24	□	FULLWIDTH LATIN CAPITAL LETTER D
0045	E	LATIN CAPITAL LETTER E	FF25	□	FULLWIDTH LATIN CAPITAL LETTER E
0046	F	LATIN CAPITAL LETTER F	FF26	□	FULLWIDTH LATIN CAPITAL LETTER F
0047	G	LATIN CAPITAL LETTER G	FF27	□	FULLWIDTH LATIN CAPITAL LETTER G
0048	H	LATIN CAPITAL LETTER H	FF28	□	FULLWIDTH LATIN CAPITAL LETTER H
0049	I	LATIN CAPITAL LETTER I	FF29	□	FULLWIDTH LATIN CAPITAL LETTER I
004A	J	LATIN CAPITAL LETTER J	FF2A	□	FULLWIDTH LATIN CAPITAL LETTER J
004B	K	LATIN CAPITAL LETTER K	FF2B	□	FULLWIDTH LATIN CAPITAL LETTER K
004C	L	LATIN CAPITAL LETTER L	FF2C	□	FULLWIDTH LATIN CAPITAL LETTER L
004D	M	LATIN CAPITAL LETTER M	FF2D	□	FULLWIDTH LATIN CAPITAL LETTER M
004E	N	LATIN CAPITAL LETTER N	FF2E	□	FULLWIDTH LATIN CAPITAL LETTER N

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
004F	O	LATIN CAPITAL LETTER O	FF2F	□	FULLWIDTH LATIN CAPITAL LETTER O
0050	P	LATIN CAPITAL LETTER P	FF30	□	FULLWIDTH LATIN CAPITAL LETTER P
0051	Q	LATIN CAPITAL LETTER Q	FF31	□	FULLWIDTH LATIN CAPITAL LETTER Q
0052	R	LATIN CAPITAL LETTER R	FF32	□	FULLWIDTH LATIN CAPITAL LETTER R
0053	S	LATIN CAPITAL LETTER S	FF33	□	FULLWIDTH LATIN CAPITAL LETTER S
0054	T	LATIN CAPITAL LETTER T	FF34	□	FULLWIDTH LATIN CAPITAL LETTER T
0055	U	LATIN CAPITAL LETTER U	FF35	□	FULLWIDTH LATIN CAPITAL LETTER U
0056	V	LATIN CAPITAL LETTER V	FF36	□	FULLWIDTH LATIN CAPITAL LETTER V
0057	W	LATIN CAPITAL LETTER W	FF37	□	FULLWIDTH LATIN CAPITAL LETTER W
0058	X	LATIN CAPITAL LETTER X	FF38	□	FULLWIDTH LATIN CAPITAL LETTER X
0059	Y	LATIN CAPITAL LETTER Y	FF39	□	FULLWIDTH LATIN CAPITAL LETTER Y
005A	Z	LATIN CAPITAL LETTER Z	FF3A	□	FULLWIDTH LATIN CAPITAL LETTER Z
005B	[	LEFT SQUARE BRACKET	FF3B	□	FULLWIDTH LEFT SQUARE BRACKET
005C	\	REVERSE SOLIDUS□(日本では 円記号になる)	FF3C	□	FULLWIDTH REVERSE SOLIDUS
005D	]	RIGHT SQUARE BRACKET	FF3D	□	FULLWIDTH RIGHT SQUARE BRACKET
005E	◌̂	CIRCUMFLEX ACCENT	FF3E	□	FULLWIDTH CIRCUMFLEX ACCENT
005F	◌̄	LOW LINE	FF3F	□	FULLWIDTH LOW LINE
0060	◌̀	GRAVE ACCENT	FF40	□	FULLWIDTH GRAVE ACCENT
0061	a	LATIN SMALL LETTER A	FF41	□	FULLWIDTH LATIN SMALL LETTER A
0062	b	LATIN SMALL LETTER B	FF42	□	FULLWIDTH LATIN SMALL LETTER B
0063	c	LATIN SMALL LETTER C	FF43	□	FULLWIDTH LATIN SMALL LETTER C
0064	d	LATIN SMALL LETTER D	FF44	□	FULLWIDTH LATIN SMALL LETTER D
0065	e	LATIN SMALL LETTER E	FF45	□	FULLWIDTH LATIN SMALL LETTER E
0066	f	LATIN SMALL LETTER F	FF46	□	FULLWIDTH LATIN SMALL LETTER F
0067	g	LATIN SMALL LETTER G	FF47	□	FULLWIDTH LATIN SMALL LETTER G

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
0068	h	LATIN SMALL LETTER H	FF48	□	FULLWIDTH LATIN SMALL LETTER H
0069	i	LATIN SMALL LETTER I	FF49	□	FULLWIDTH LATIN SMALL LETTER I
006A	j	LATIN SMALL LETTER J	FF4A	□	FULLWIDTH LATIN SMALL LETTER J
006B	k	LATIN SMALL LETTER K	FF4B	□	FULLWIDTH LATIN SMALL LETTER K
006C	l	LATIN SMALL LETTER L	FF4C	□	FULLWIDTH LATIN SMALL LETTER L
006D	m	LATIN SMALL LETTER M	FF4D	□	FULLWIDTH LATIN SMALL LETTER M
006E	n	LATIN SMALL LETTER N	FF4E	□	FULLWIDTH LATIN SMALL LETTER N
006F	o	LATIN SMALL LETTER O	FF4F	□	FULLWIDTH LATIN SMALL LETTER O
0070	p	LATIN SMALL LETTER P	FF50	□	FULLWIDTH LATIN SMALL LETTER P
0071	q	LATIN SMALL LETTER Q	FF51	□	FULLWIDTH LATIN SMALL LETTER Q
0072	r	LATIN SMALL LETTER R	FF52	□	FULLWIDTH LATIN SMALL LETTER R
0073	s	LATIN SMALL LETTER S	FF53	□	FULLWIDTH LATIN SMALL LETTER S
0074	t	LATIN SMALL LETTER T	FF54	□	FULLWIDTH LATIN SMALL LETTER T
0075	u	LATIN SMALL LETTER U	FF55	□	FULLWIDTH LATIN SMALL LETTER U
0076	v	LATIN SMALL LETTER V	FF56	□	FULLWIDTH LATIN SMALL LETTER V
0077	w	LATIN SMALL LETTER W	FF57	□	FULLWIDTH LATIN SMALL LETTER W
0078	x	LATIN SMALL LETTER X	FF58	□	FULLWIDTH LATIN SMALL LETTER X
0079	y	LATIN SMALL LETTER Y	FF59	□	FULLWIDTH LATIN SMALL LETTER Y
007A	z	LATIN SMALL LETTER Z	FF5A	□	FULLWIDTH LATIN SMALL LETTER Z
007B	{	LEFT CURLY BRACKET	FF5B	□	FULLWIDTH LEFT CURLY BRACKET
007C	□	VERTICAL LINE	FF5C	□	FULLWIDTH VERTICAL LINE
007D	}	RIGHT CURLY BRACKET	FF5D	□	FULLWIDTH RIGHT CURLY BRACKET
007E	~	TILDE	FF5E	□	FULLWIDTH TILDE
00A2	¢	CENT SIGN	FFE0	□	FULLWIDTH CENT SIGN
00A3	£	POUND SIGN	FFE1	□	FULLWIDTH POUND SIGN
00A5	¥	YEN SIGN	FFE5	□	FULLWIDTH YEN SIGN

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
00A6		BROKEN BAR	FFE4	□	FULLWIDTH BROKEN BAR
00AC	¬	NOT SIGN	FFE2	□	FULLWIDTH NOT SIGN
00AF	ˉ	MACRON	FFE3	□	FULLWIDTH MACRON
20A9	₩	WON SIGN	FFE6	□	FULLWIDTH WON SIGN
2985	□	LEFT WHITE PARENTHESIS	FF5F	□	FULLWIDTH LEFT WHITE PARENTHESIS
2986	□	RIGHT WHITE PARENTHESIS	FF60	□	FULLWIDTH RIGHT WHITE PARENTHESIS
FF61	□	HALFWIDTH IDEOGRAPHIC FULL STOP	3002	□	IDEOGRAPHIC FULL STOP
FF62	□	HALFWIDTH LEFT CORNER BRACKET	300C	□	LEFT CORNER BRACKET
FF63	□	HALFWIDTH RIGHT CORNER BRACKET	300D	□	RIGHT CORNER BRACKET
FF64	□	HALFWIDTH IDEOGRAPHIC COMMA	3001	□	IDEOGRAPHIC COMMA
FF65	□	HALFWIDTH KATAKANA MIDDLE DOT	30FB	□	KATAKANA MIDDLE DOT
FF66	ヲ	HALFWIDTH KATAKANA LETTER WO	3092	を	HIRAGANA LETTER WO
			30F2	ヲ	KATAKANA LETTER WO
FF66,FF9E	ヲ <sup>ˆ</sup>	HALFWIDTH KATAKANA LETTER WO + HALFWIDTH KATAKANA VOICED SOUND MARK	30FA		KATAKANA LETTER VO
FF67	ァ	HALFWIDTH KATAKANA LETTER SMALL A	3041	ぁ	HIRAGANA LETTER SMALL A
			30A1	ァ	KATAKANA LETTER SMALL A
FF68	ィ	HALFWIDTH KATAKANA LETTER SMALL I	3043	ぃ	HIRAGANA LETTER SMALL I
			30A3	ィ	KATAKANA LETTER SMALL I
FF69	ゥ	HALFWIDTH KATAKANA LETTER SMALL U	3045	ぅ	HIRAGANA LETTER SMALL U
			30A5	ゥ	KATAKANA LETTER SMALL U
FF6A	ェ	HALFWIDTH KATAKANA LETTER SMALL E	3047	ぇ	HIRAGANA LETTER SMALL E
			30A7	ェ	KATAKANA LETTER SMALL E
FF6B	ォ	HALFWIDTH KATAKANA LETTER SMALL O	3049	ぉ	HIRAGANA LETTER SMALL O
			30A9	ォ	KATAKANA LETTER SMALL O
FF6C	ャ	HALFWIDTH KATAKANA LETTER SMALL YA	3083	ゃ	HIRAGANA LETTER SMALL YA
			30E3	ャ	KATAKANA LETTER SMALL YA
FF6D	ュ	HALFWIDTH KATAKANA LETTER SMALL YU	3085	ゅ	HIRAGANA LETTER SMALL YU
			30E5	ュ	KATAKANA LETTER SMALL YU
FF6E	ョ	HALFWIDTH KATAKANA LETTER SMALL YO	3087	ょ	HIRAGANA LETTER SMALL YO
			30E7	ョ	KATAKANA LETTER SMALL YO
FF6F	ツ	HALFWIDTH KATAKANA LETTER SMALL TU	3063	っ	HIRAGANA LETTER SMALL TU
			30C3	ツ	KATAKANA LETTER SMALL TU
FF70	□	HALFWIDTH KATAKANA-HIRAGANA PROLONGED SOUND MARK	30FC	□	KATAKANA-HIRAGANA PROLONGED SOUND MARK

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
FF71	ア	HALFWIDTH KATAKANA LETTER A	3042	あ	HIRAGANA LETTER A
			30A2	ア	KATAKANA LETTER A
FF72	イ	HALFWIDTH KATAKANA LETTER I	3044	い	HIRAGANA LETTER I
			30A4	イ	KATAKANA LETTER I
FF73	ウ	HALFWIDTH KATAKANA LETTER U	3046	う	HIRAGANA LETTER U
			30A6	ウ	KATAKANA LETTER U
FF73,FF68	ウ <small>イ</small>	HALFWIDTH KATAKANA LETTER U + HALFWIDTH KATAKANA LETTER SMALL I	3090	ゐ	HIRAGANA LETTER WI
			30F0	ヰ	KATAKANA LETTER WI
FF73,FF6A	ウ <small>エ</small>	HALFWIDTH KATAKANA LETTER U + HALFWIDTH KATAKANA LETTER SMALL E	3091	ゑ	HIRAGANA LETTER WE
			30F1	ヱ	KATAKANA LETTER WE
FF73,FF9E	ウ <small>ヴ</small>	HALFWIDTH KATAKANA LETTER U + HALFWIDTH KATAKANA VOICED SOUND MARK	3094	う <small>ヴ</small>	HIRAGANA LETTER VU
			30F4	ヱ <small>ヴ</small>	KATAKANA LETTER VU
FF73,FF9E,FF68	ウ <small>ヴ</small> イ	HALFWIDTH KATAKANA LETTER U + HALFWIDTH KATAKANA VOICED SOUND MARK + HALFWIDTH KATAKANA LETTER SMALL I	30F8		KATAKANA LETTER VI
FF73,FF9E,FF6A	ウ <small>ヴ</small> エ	HALFWIDTH KATAKANA LETTER U + HALFWIDTH KATAKANA VOICED SOUND MARK + HALFWIDTH KATAKANA LETTER SMALL E	30F9		KATAKANA LETTER VE
FF74	エ	HALFWIDTH KATAKANA LETTER E	3048	え	HIRAGANA LETTER E
			30A8	エ	KATAKANA LETTER E
FF75	オ	HALFWIDTH KATAKANA LETTER O	304A	お	HIRAGANA LETTER O
			30AA	オ	KATAKANA LETTER O
FF76	カ	HALFWIDTH KATAKANA LETTER KA	304B	か	HIRAGANA LETTER KA
			3095		HIRAGANA LETTER SMALL KA
			30AB	カ	KATAKANA LETTER KA
			30F5	カ	KATAKANA LETTER SMALL KA
FF76,FF9E	カ <small>ヴ</small>	HALFWIDTH KATAKANA LETTER KA + HALFWIDTH KATAKANA VOICED SOUND MARK	304C	が	HIRAGANA LETTER GA
			30AC	ガ	KATAKANA LETTER GA
FF77	キ	HALFWIDTH KATAKANA LETTER KI	304D	き	HIRAGANA LETTER KI
			30AD	キ	KATAKANA LETTER KI
FF77,FF9E	キ <small>ヴ</small>	HALFWIDTH KATAKANA LETTER KI + HALFWIDTH KATAKANA VOICED SOUND MARK	304E	ぎ	HIRAGANA LETTER GI
			30AE	ギ	KATAKANA LETTER GI
FF78	ク	HALFWIDTH KATAKANA LETTER KU	304F	く	HIRAGANA LETTER KU
			30AF	ク	KATAKANA LETTER KU
FF78,FF9E	ク <small>ヴ</small>	HALFWIDTH KATAKANA LETTER KU + HALFWIDTH KATAKANA VOICED SOUND MARK	3050	ぐ	HIRAGANA LETTER GU
			30B0	グ	KATAKANA LETTER GU

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
FF79	ヶ	HALFWIDTH KATAKANA LETTER KE	3051	け	HIRAGANA LETTER KE
			3096		HIRAGANA LETTER SMALL KE
			30B1	ヶ	KATAKANA LETTER KE
			30F6	ヶ	KATAKANA LETTER SMALL KE
FF79,FF9E	ヶ <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER KE + HALFWIDTH KATAKANA VOICED SOUND MARK	3052	げ	HIRAGANA LETTER GE
			30B2	ゲ	KATAKANA LETTER GE
FF7A	こ	HALFWIDTH KATAKANA LETTER KO	3053	こ	HIRAGANA LETTER KO
			30B3	コ	KATAKANA LETTER KO
FF7A,FF9E	こ <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER KO + HALFWIDTH KATAKANA VOICED SOUND MARK	3054	ご	HIRAGANA LETTER GO
			30B4	ゴ	KATAKANA LETTER GO
FF7B	さ	HALFWIDTH KATAKANA LETTER SA	3055	さ	HIRAGANA LETTER SA
			30B5	サ	KATAKANA LETTER SA
FF7B,FF9E	さ <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER SA + HALFWIDTH KATAKANA VOICED SOUND MARK	3056	ざ	HIRAGANA LETTER ZA
			30B6	ザ	KATAKANA LETTER ZA
FF7C	し	HALFWIDTH KATAKANA LETTER SI	3057	し	HIRAGANA LETTER SI
			30B7	シ	KATAKANA LETTER SI
FF7C,FF9E	し <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER SI + HALFWIDTH KATAKANA VOICED SOUND MARK	3058	じ	HIRAGANA LETTER ZI
			30B8	ジ	KATAKANA LETTER ZI
FF7D	す	HALFWIDTH KATAKANA LETTER SU	3059	す	HIRAGANA LETTER SU
			30B9	ス	KATAKANA LETTER SU
FF7D,FF9E	す <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER SU + HALFWIDTH KATAKANA VOICED SOUND MARK	305A	ず	HIRAGANA LETTER ZU
			30BA	ズ	KATAKANA LETTER ZU
FF7E	せ	HALFWIDTH KATAKANA LETTER SE	305B	せ	HIRAGANA LETTER SE
			30BB	セ	KATAKANA LETTER SE
FF7E,FF9E	せ <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER SE + HALFWIDTH KATAKANA VOICED SOUND MARK	305C	ぜ	HIRAGANA LETTER ZE
			30BC	ゼ	KATAKANA LETTER ZE
FF7F	ソ	HALFWIDTH KATAKANA LETTER SO	305D	そ	HIRAGANA LETTER SO
			30BD	ソ	KATAKANA LETTER SO
FF7F,FF9E	ソ <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER SO + HALFWIDTH KATAKANA VOICED SOUND MARK	305E	ぞ	HIRAGANA LETTER ZO
			30BE	ゾ	KATAKANA LETTER ZO
FF80	た	HALFWIDTH KATAKANA LETTER TA	305F	た	HIRAGANA LETTER TA
			30BF	タ	KATAKANA LETTER TA
FF80,FF9E	た <sup>ゝ</sup>	HALFWIDTH KATAKANA LETTER TA + HALFWIDTH KATAKANA VOICED SOUND MARK	3060	だ	HIRAGANA LETTER DA
			30C0	ダ	KATAKANA LETTER DA
FF81	ち	HALFWIDTH KATAKANA LETTER TI	3061	ち	HIRAGANA LETTER TI
			30C1	チ	KATAKANA LETTER TI

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
FF81,FF9E	ヂ	HALFWIDTH KATAKANA LETTER TI + HALFWIDTH KATAKANA VOICED SOUND MARK	3062	ぢ	HIRAGANA LETTER DI
			30C2	ヂ	KATAKANA LETTER DI
FF82	ツ	HALFWIDTH KATAKANA LETTER TU	3064	つ	HIRAGANA LETTER TU
			30C4	ツ	KATAKANA LETTER TU
FF82,FF9E	ヅ	HALFWIDTH KATAKANA LETTER TU + HALFWIDTH KATAKANA VOICED SOUND MARK	3065	づ	HIRAGANA LETTER DU
			30C5	ヅ	KATAKANA LETTER DU
FF83	テ	HALFWIDTH KATAKANA LETTER TE	3066	て	HIRAGANA LETTER TE
			30C6	テ	KATAKANA LETTER TE
FF83,FF9E	デ	HALFWIDTH KATAKANA LETTER TE + HALFWIDTH KATAKANA VOICED SOUND MARK	3067	で	HIRAGANA LETTER DE
			30C7	デ	KATAKANA LETTER DE
FF84	ト	HALFWIDTH KATAKANA LETTER TO	3068	と	HIRAGANA LETTER TO
			30C8	ト	KATAKANA LETTER TO
FF84,FF9E	ド	HALFWIDTH KATAKANA LETTER TO + HALFWIDTH KATAKANA VOICED SOUND MARK	3069	ど	HIRAGANA LETTER DO
			30C9	ド	KATAKANA LETTER DO
FF85	ナ	HALFWIDTH KATAKANA LETTER NA	306A	な	HIRAGANA LETTER NA
			30CA	ナ	KATAKANA LETTER NA
FF86	ニ	HALFWIDTH KATAKANA LETTER NI	306B	に	HIRAGANA LETTER NI
			30CB	ニ	KATAKANA LETTER NI
FF87	ヌ	HALFWIDTH KATAKANA LETTER NU	306C	ぬ	HIRAGANA LETTER NU
			30CC	ヌ	KATAKANA LETTER NU
FF88	ネ	HALFWIDTH KATAKANA LETTER NE	306D	ね	HIRAGANA LETTER NE
			30CD	ネ	KATAKANA LETTER NE
FF89	ノ	HALFWIDTH KATAKANA LETTER NO	306E	の	HIRAGANA LETTER NO
			30CE	ノ	KATAKANA LETTER NO
FF8A	ハ	HALFWIDTH KATAKANA LETTER HA	306F	は	HIRAGANA LETTER HA
			30CF	ハ	KATAKANA LETTER HA
FF8A,FF9E	バ	HALFWIDTH KATAKANA LETTER HA + HALFWIDTH KATAKANA VOICED SOUND MARK	3070	ば	HIRAGANA LETTER BA
			30D0	バ	KATAKANA LETTER BA
FF8A,FF9F	パ	HALFWIDTH KATAKANA LETTER HA + HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	3071	ぱ	HIRAGANA LETTER PA
			30D1	パ	KATAKANA LETTER PA
FF8B	ヒ	HALFWIDTH KATAKANA LETTER HI	3072	ひ	HIRAGANA LETTER HI
			30D2	ヒ	KATAKANA LETTER HI
FF8B,FF9E	ビ	HALFWIDTH KATAKANA LETTER HI + HALFWIDTH KATAKANA VOICED SOUND MARK	3073	び	HIRAGANA LETTER BI
			30D3	ビ	KATAKANA LETTER BI
FF8B,FF9F	ピ	HALFWIDTH KATAKANA LETTER HI + HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	3074	ぴ	HIRAGANA LETTER PI
			30D4	ピ	KATAKANA LETTER PI

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
FF8C	フ	HALFWIDTH KATAKANA LETTER HU	3075	ふ	HIRAGANA LETTER HU
			30D5	フ	KATAKANA LETTER HU
FF8C,FF9E	フ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HU + HALFWIDTH KATAKANA VOICED SOUND MARK	3076	ぶ	HIRAGANA LETTER BU
			30D6	ブ	KATAKANA LETTER BU
FF8C,FF9F	フ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HU + HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	3077	ぷ	HIRAGANA LETTER PU
			30D7	プ	KATAKANA LETTER PU
FF8D	ヘ	HALFWIDTH KATAKANA LETTER HE	3078	へ	HIRAGANA LETTER HE
			30D8	ヘ	KATAKANA LETTER HE
FF8D,FF9E	ヘ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HE + HALFWIDTH KATAKANA VOICED SOUND MARK	3079	べ	HIRAGANA LETTER BE
			30D9	ベ	KATAKANA LETTER BE
FF8D,FF9F	ヘ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HE + HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	307A	ぺ	HIRAGANA LETTER PE
			30DA	ペ	KATAKANA LETTER PE
FF8E	ホ	HALFWIDTH KATAKANA LETTER HO	307B	ほ	HIRAGANA LETTER HO
			30DB	ホ	KATAKANA LETTER HO
FF8E,FF9E	ホ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HO + HALFWIDTH KATAKANA VOICED SOUND MARK	307C	ぼ	HIRAGANA LETTER BO
			30DC	ボ	KATAKANA LETTER BO
FF8E,FF9F	ホ <sup>◌</sup>	HALFWIDTH KATAKANA LETTER HO + HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	307D	ぽ	HIRAGANA LETTER PO
			30DD	ポ	KATAKANA LETTER PO
FF8F	マ	HALFWIDTH KATAKANA LETTER MA	307E	ま	HIRAGANA LETTER MA
			30DE	マ	KATAKANA LETTER MA
FF90	ミ	HALFWIDTH KATAKANA LETTER MI	307F	み	HIRAGANA LETTER MI
			30DF	ミ	KATAKANA LETTER MI
FF91	ム	HALFWIDTH KATAKANA LETTER MU	3080	む	HIRAGANA LETTER MU
			30E0	ム	KATAKANA LETTER MU
FF92	メ	HALFWIDTH KATAKANA LETTER ME	3081	め	HIRAGANA LETTER ME
			30E1	メ	KATAKANA LETTER ME
FF93	モ	HALFWIDTH KATAKANA LETTER MO	3082	も	HIRAGANA LETTER MO
			30E2	モ	KATAKANA LETTER MO
FF94	ヤ	HALFWIDTH KATAKANA LETTER YA	3084	や	HIRAGANA LETTER YA
			30E4	ヤ	KATAKANA LETTER YA
FF95	ユ	HALFWIDTH KATAKANA LETTER YU	3086	ゆ	HIRAGANA LETTER YU
			30E6	ユ	KATAKANA LETTER YU
FF96	ヨ	HALFWIDTH KATAKANA LETTER YO	3088	よ	HIRAGANA LETTER YO
			30E8	ヨ	KATAKANA LETTER YO
FF97	ラ	HALFWIDTH KATAKANA LETTER RA	3089	ら	HIRAGANA LETTER RA
			30E9	ラ	KATAKANA LETTER RA
FF98	リ	HALFWIDTH KATAKANA LETTER RI	308A	り	HIRAGANA LETTER RI
			30EA	リ	KATAKANA LETTER RI

入力	入力文字	入力文字名称	変換先	変換文字	変換文字名称
FF99	ル	HALFWIDTH KATAKANA LETTER RU	308B	る	HIRAGANA LETTER RU
			30EB	ル	KATAKANA LETTER RU
FF9A	レ	HALFWIDTH KATAKANA LETTER RE	308C	れ	HIRAGANA LETTER RE
			30EC	レ	KATAKANA LETTER RE
FF9B	ロ	HALFWIDTH KATAKANA LETTER RO	308D	ろ	HIRAGANA LETTER RO
			30ED	ロ	KATAKANA LETTER RO
FF9C	ワ	HALFWIDTH KATAKANA LETTER WA	308E	わ	HIRAGANA LETTER SMALL WA
			308F	わ	HIRAGANA LETTER WA
			30EE	ワ	KATAKANA LETTER SMALL WA
			30EF	ワ	KATAKANA LETTER WA
FF9C,FF9E	ワ	HALFWIDTH KATAKANA LETTER WA + HALFWIDTH KATAKANA VOICED SOUND MARK	30F7		KATAKANA LETTER VA
FF9D	ン	HALFWIDTH KATAKANA LETTER N	3093	ん	HIRAGANA LETTER N
			30F3	ン	KATAKANA LETTER N
FF9E	ン	HALFWIDTH KATAKANA VOICED SOUND MARK	309B	ン	KATAKANA-HIRAGANA VOICED SOUND MARK
FF9F	ン	HALFWIDTH KATAKANA SEMI-VOICED SOUND MARK	309C	ン	KATAKANA-HIRAGANA SEMI-VOICED SOUND MARK
FFE8	┃	HALFWIDTH FORMS LIGHT VERTICAL	2502		FORMS LIGHT VERTICAL
FFE9	←	HALFWIDTH LEFTWARDS ARROW	2190	←	LEFTWARDS ARROW
FFEA	↑	HALFWIDTH UPWARDS ARROW	2191	↑	UPWARDS ARROW
FFEB	→	HALFWIDTH RIGHTWARDS ARROW	2192	→	RIGHTWARDS ARROW
FFEC	↓	HALFWIDTH DOWNWARDS ARROW	2193	↓	DOWNWARDS ARROW
FFED	■	HALFWIDTH BLACK SQUARE	25A0	■	BLACK SQUARE
FFEE	○	HALFWIDTH WHITE CIRCLE	25CB	○	WHITE CIRCLE

From: <https://wiki.hgotoh.jp/> - 努力したWiki

Permanent link: <https://wiki.hgotoh.jp/documents/code/code-011>

Last update: 2024/11/17 08:56

